

| ----- POPULATION ESTIMATES ----- | | | | ----- LONG-TERM CARE ----- | | ----- LOCAL HEALTH DEPARTMENTS ----- | | |
|----------------------------------|--------|--------|--------|---|---------|--------------------------------------|-------------------------------------|---------------|
| Total 2004 Population | | | | Community Options and MA Waiver as HSRS reports costs for services | | Staffing - FTE | | Per 10,000 |
| Population per square mile | | | | | | Number | | Population |
| County ranking in state (1-72) | | | | | | | | |
| Age | Female | Male | Total | COP | Clients | Costs | | |
| 0-14 | 1,460 | 1,630 | 3,110 | MA Waiver * | 14 | \$251,068 | Total staff | 3.0 |
| 15-19 | 630 | 710 | 1,330 | CIP1A | 3 | \$275,034 | Administrative | 1.0 |
| 20-24 | 450 | 490 | 950 | CIP1B | 47 | \$760,873 | Public health nurses | 1.0 |
| 25-29 | 380 | 420 | 800 | CIP2 | 29 | \$331,660 | Other prof. staff | . |
| 30-34 | 500 | 490 | 990 | COP-W | 118 | \$587,049 | Technical/Paraprof. | . |
| 35-39 | 640 | 620 | 1,260 | CLTS | 10 | \$60,273 | Support staff | 1.0 |
| 40-44 | 830 | 820 | 1,640 | Brain Injury | 0 | \$0 | | |
| 45-54 | 1,770 | 1,700 | 3,470 | Total COP/Wvrs | 221 | \$2,265,957 | Funding | Per capita |
| 55-64 | 1,810 | 1,730 | 3,530 | \$76,507 of the above waiver costs | | | Total | \$380,274 |
| 65-74 | 1,410 | 1,440 | 2,850 | were paid as local match/overmatch | | | Local Taxes | \$199,645 |
| 75-84 | 910 | 780 | 1,690 | using COP funds. This amount is | | | | \$17.31 |
| 85+ | 350 | 200 | 560 | not included in above COP costs. | | | | \$9.09 |
| Total | 11,140 | 11,010 | 22,160 | * Waiver costs reported here | | | ----- LICENSED ESTABLISHMENTS ----- | |
| Age | Female | Male | Total | include federal funding. | | | Type | Capacity |
| 0-17 | 1,840 | 2,050 | 3,900 | | | | Bed & Breakfast | 77 |
| 18-44 | 3,050 | 3,130 | 6,180 | | | | Camps | 2,444 |
| 45-64 | 3,580 | 3,430 | 7,000 | | | | Hotels, Motels | 4,435 |
| 65+ | 2,670 | 2,420 | 5,100 | | | | Tourist Rooming | 1,294 |
| Total | 11,140 | 11,010 | 22,160 | | | | Pools | 19 |
| Poverty Estimates for 2000 | | | | | | | Restaurants | 291 |
| Estimate (C.I.+/-) | | | | | | | Vending | 1 |
| All ages | 1,683 | 122 | | | | | ----- WIC PARTICIPANTS ----- | |
| | 8.0% | (7%) | | | | | | Number |
| Ages 0-17 | 514 | 55 | | | | | Pregnant/Postpartum | 190 |
| | 11.8% | (11%) | | | | | Infants | 192 |
| ----- EMPLOYMENT ----- | | | | | | | Children, age 1-4 | 332 |
| Average wage for jobs covered | | | | | | | Total | 714 |
| by unemployment compensation | | | | | | | ----- CANCER INCIDENCE (2003) ----- | |
| (place of work) | | | | | | | Primary Site | |
| Labor Force Estimates | | | | | | | Breast | 24 |
| Annual | | | | | | | Cervical | 2 |
| Average | | | | | | | Colorectal | 11 |
| Civilian Labor Force | 11,845 | | | | | | Lung and Bronchus | 24 |
| Number employed | 11,129 | | | | | | Prostate | 21 |
| Number unemployed | 716 | | | | | | Other sites | 68 |
| Unemployment rate | 6.0% | | | | | | Total | 150 |
| | | | | | | | Note: Totals shown are for | |
| | | | | | | | invasive cancers only. | |

NATALITY

| NATALITY | | | | | | | | | | | | |
|--|--|--|--------|------------------|---|--------|----------------|--------------------------|-----------------------------------|--------|----------------|---------|
| TOTAL LIVE BIRTHS | | | 188 | Birth Order | | Births | Percent | Marital Status of Mother | | Births | Percent | |
| Crude Live Birth Rate | | | 8.5 | First | | 72 | 38 | Married | | 117 | 62 | |
| General Fertility Rate | | | 54.7 | Second | | 58 | 31 | Not married | | 71 | 38 | |
| Live births with reported congenital anomalies | | | 1 | Third | | 26 | 14 | Unknown | | 0 | 0 | |
| | | | 0.5% | Fourth or higher | | 32 | 17 | | | | | |
| | | | | Unknown | | 0 | 0 | | | | | |
| Delivery Type | | | Births | Percent | 1st Prenatal Visit | | Births | Percent | Education of Mother | | Births | Percent |
| Vaginal after previous cesarean | | | 5 | 3 | 1st trimester | | 150 | 80 | Elementary or less | | 1 | 1 |
| Forceps | | | 1 | 1 | 2nd trimester | | 32 | 17 | Some high school | | 19 | 10 |
| Other vaginal | | | 133 | 71 | 3rd trimester | | 5 | 3 | High school | | 80 | 43 |
| Primary cesarean | | | 25 | 13 | No visits | | 1 | 1 | Some college | | 37 | 20 |
| Repeat cesarean | | | 24 | 13 | Unknown | | 0 | 0 | College graduate | | 51 | 27 |
| | | | | | | | | | Unknown | | 0 | 0 |
| Birthweight | | | Births | Percent | Prenatal Visits | | Births | Percent | Smoking Status of Mother | | Births | Percent |
| <1,500 gm | | | 0 | 0.0 | No visits | | 1 | 1 | Smoker | | 46 | 24 |
| 1,500-2,499 gm | | | 7 | 3.7 | 1-4 | | 5 | 3 | Nonsmoker | | 142 | 76 |
| 2,500+ gm | | | 181 | 96.3 | 5-9 | | 35 | 19 | Unknown | | 0 | 0 |
| Unknown | | | 0 | 0 | 10-12 | | 74 | 39 | | | | |
| | | | | | 13+ | | 72 | 38 | | | | |
| | | | | | Unknown | | 1 | 1 | | | | |
| | | | | | | | | | | | | |
| Race/Ethnicity | | | Births | Percent | Low Birthweight (under 2,500 gm) | | 1st Trimester | | Trimester of First Prenatal Visit | | Other/Unknown | |
| | | | | | Births Percent | | Births Percent | | Births Percent | | Births Percent | |
| White | | | 137 | 73 | 5 3.6 | | 117 85 | | 19 14 | | 1 1 | |
| Black/Afr.American | | | 0 | 0 | . . | | . . | | . . | | . . | |
| American Indian | | | 47 | 25 | . . | | 30 64 | | 13 28 | | 4 9 | |
| Hispanic/Latino | | | 3 | 2 | * . | | * . | | * . | | * . | |
| Laotian/Hmong | | | 0 | 0 | . . | | . . | | . . | | . . | |
| Other/Unknown | | | 1 | 1 | * . | | * . | | * . | | * . | |
| | | | | | | | | | | | | |
| Age of Mother | | | Births | Fertility Rate | Low Birthweight (under 2,500 gm) | | 1st Trimester | | Trimester of First Prenatal Visit | | Other/Unknown | |
| | | | | | Births Percent | | Births Percent | | Births Percent | | Births Percent | |
| <15 | | | 0 | -- | . . | | . . | | . . | | . . | |
| 15-17 | | | 0 | 0 | . . | | . . | | . . | | . . | |
| 18-19 | | | 11 | 43 | 1 9.1 | | 8 73 | | 3 27 | | . . | |
| 20-24 | | | 51 | 112 | 3 5.9 | | 37 73 | | 10 20 | | 4 8 | |
| 25-29 | | | 48 | 125 | 2 4.2 | | 40 83 | | 7 15 | | 1 2 | |
| 30-34 | | | 51 | 102 | . . | | 44 86 | | 7 14 | | . . | |
| 35-39 | | | 18 | 28 | 1 5.6 | | 15 83 | | 3 17 | | . . | |
| 40+ | | | 9 | 11 | . . | | 6 67 | | 2 22 | | 1 11 | |
| Unknown | | | 0 | -- | . . | | . . | | . . | | . . | |
| Teenage Births | | | 11 | 18 | * Data not reported if age or race category has less than 5 births. | | | | | | | |

----- MORBIDITY -----

----- MORTALITY -----

REPORTED CASES OF SELECTED DISEASES*

| Disease | Number |
|-------------------------|--------|
| Campylobacter Enteritis | <5 |
| Giardiasis | <5 |
| Hepatitis Type A | 0 |
| Hepatitis Type B** | <5 |
| Hepatitis NANB/C | 13 |
| Legionnaire's | 0 |
| Lyme | 12 |
| Measles | 0 |
| Meningitis, Aseptic | 0 |
| Meningitis, Bacterial | 0 |
| Mumps | 0 |
| Pertussis | <5 |
| Salmonellosis | 6 |
| Shigellosis | 0 |
| Tuberculosis | 0 |

* 2004 provisional data.

** Includes all positive HBsAg test results.

| | |
|------------------------------|----|
| Sexually Transmitted Disease | |
| Chlamydia Trachomatis | 35 |
| Genital Herpes | <5 |
| Gonorrhea | <5 |
| Syphilis | 0 |

----- IMMUNIZATIONS -----

| | |
|---|-------|
| Children in Grades K-12 by Compliance Level | |
| Compliant | 3,043 |
| Non-compliant | 44 |
| Percent Compliant | 98.6 |

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

| | |
|------------------|-------|
| TOTAL DEATHS | 223 |
| Crude Death Rate | 1,007 |

| Age | Deaths | Rate |
|-------|--------|--------|
| 1-4 | . | . |
| 5-14 | 1 | . |
| 15-19 | . | . |
| 20-34 | 3 | . |
| 35-54 | 15 | . |
| 55-64 | 22 | 624 |
| 65-74 | 36 | 1,264 |
| 75-84 | 80 | 4,742 |
| 85+ | 66 | 11,892 |

| | | |
|------------------|--------|------|
| Infant Mortality | Deaths | Rate |
| Total Infant | . | . |
| Neonatal | . | . |
| Postneonatal | . | . |
| Unknown | . | . |

| | |
|----------------|---|
| Race of Mother | |
| White | . |
| Black | . |
| Hispanic | . |
| Laotian/Hmong | . |
| Other/Unknown | . |

| | |
|----------------|---|
| Birthweight | |
| <1,500 gm | . |
| 1,500-2,499 gm | . |
| 2,500+ gm | . |
| Unknown | . |

| | | |
|---------------------|--------|------|
| Perinatal Mortality | Deaths | Rate |
| Total Perinatal | . | . |
| Neonatal | . | . |
| Fetal | . | . |

| Selected Underlying Cause | Deaths | Rate |
|---------------------------|--------|------|
| Heart Disease (total) | 64 | 289 |
| Ischemic heart disease | 49 | 221 |
| Cancer (total) | 52 | 235 |
| Trachea/Bronchus/Lung | 13 | . |
| Colorectal | 6 | . |
| Female Breast | 2 | .* |
| Cerebrovascular Disease | 22 | 99 |
| Lower Resp. Disease | 9 | . |
| Pneumonia & Influenza | 2 | . |
| Accidents | 8 | . |
| Motor vehicle | 1 | . |
| Diabetes | 8 | . |
| Infect./Parasitic Dis. | 3 | . |
| Suicide | 3 | . |

* Based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

| | | |
|-------------|----|-----|
| Alcohol | 5 | . |
| Tobacco Use | 40 | 181 |
| Other Drugs | 2 | . |

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

| Type of Motor Vehicle Crash | Persons Injured | Persons Killed |
|-----------------------------|-----------------|----------------|
| Total Crashes | 266 | 3 |
| Alcohol-Related | 60 | 1 |
| With Citation: | | |
| For OWI | 51 | 0 |
| For Speeding | 12 | 0 |
| Motorcyclist | 23 | 0 |
| Bicyclist | 0 | 0 |
| Pedestrian | 0 | 0 |

2004 HOSPITALIZATIONS

| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita | DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita |
|--|--------|---------------|---------------------|----------------|-------------------|---|--------|---------------|---------------------|----------------|-------------------|
| Injury-Related: All | | | | | | Alcohol-Related | | | | | |
| Total | 267 | 12.1 | 4.7 | \$18,907 | \$228 | Total | 104 | 4.7 | 5.5 | \$10,206 | \$48 |
| <18 | 22 | 5.7 | 3.3 | \$13,421 | \$76 | 18-44 | 48 | 7.8 | 4.8 | \$8,493 | \$66 |
| 18-44 | 58 | 9.4 | 3.2 | \$14,875 | \$140 | 45-64 | 42 | 6.0 | 5.9 | \$11,992 | \$72 |
| 45-64 | 75 | 10.7 | 6.2 | \$26,562 | \$285 | Pneumonia and Influenza | | | | | |
| 65+ | 112 | 22.0 | 4.7 | \$16,948 | \$373 | Total | 109 | 4.9 | 4.0 | \$10,300 | \$51 |
| Injury: Hip Fracture | | | | | | <18 | 1 | . | . | . | . |
| Total | 30 | 1.4 | 5.5 | \$21,564 | \$29 | 45-64 | 23 | 3.3 | 3.2 | \$12,610 | \$41 |
| 65+ | 30 | 5.9 | 5.5 | \$21,564 | \$127 | 65+ | 81 | 15.9 | 4.2 | \$9,703 | \$154 |
| Injury: Poisonings | | | | | | Cerebrovascular Disease | | | | | |
| Total | 25 | 1.1 | 2.6 | \$9,093 | \$10 | Total | 93 | 4.2 | 3.3 | \$14,327 | \$60 |
| 18-44 | 16 | . | . | . | . | 45-64 | 23 | 3.3 | 3.1 | \$17,131 | \$56 |
| Psychiatric | | | | | | 65+ | 70 | 13.8 | 3.4 | \$13,406 | \$184 |
| Total | 132 | 6.0 | 5.8 | \$7,872 | \$47 | Chronic Obstructive Pulmonary Disease | | | | | |
| <18 | 27 | 6.9 | 4.3 | \$5,780 | \$40 | Total | 58 | 2.6 | 4.0 | \$8,954 | \$23 |
| 18-44 | 66 | 10.7 | 6.7 | \$8,830 | \$94 | <18 | 3 | . | . | . | . |
| 45-64 | 23 | 3.3 | 4.9 | \$6,852 | \$23 | 18-44 | 7 | . | . | . | . |
| 65+ | 16 | . | . | . | . | 45-64 | 7 | . | . | . | . |
| Coronary Heart Disease | | | | | | 65+ | 41 | 8.1 | 4.9 | \$10,634 | \$86 |
| Total | 193 | 8.7 | 2.7 | \$24,187 | \$211 | Drug-Related | | | | | |
| 45-64 | 67 | 9.6 | 2.4 | \$27,544 | \$264 | Total | 29 | 1.3 | 6.5 | \$8,535 | \$11 |
| 65+ | 111 | 21.8 | 3.0 | \$23,377 | \$510 | 18-44 | 18 | . | . | . | . |
| Malignant Neoplasms (Cancers): All | | | | | | Total Hospitalizations | | | | | |
| Total | 142 | 6.4 | 6.0 | \$21,714 | \$139 | Total | 3,016 | 136.1 | 3.9 | \$13,445 | \$1,830 |
| 18-44 | 12 | . | . | . | . | <18 | 303 | 77.8 | 3.0 | \$6,424 | \$500 |
| 45-64 | 42 | 6.0 | 4.9 | \$21,555 | \$129 | 18-44 | 602 | 97.5 | 3.4 | \$9,795 | \$955 |
| 65+ | 87 | 17.1 | 6.7 | \$22,161 | \$379 | 45-64 | 753 | 107.6 | 4.2 | \$17,226 | \$1,854 |
| Neoplasms: Female Breast (rates for female population) | | | | | | 65+ | 1,358 | 266.9 | 4.1 | \$14,533 | \$3,878 |
| Total | 10 | . | . | . | . | | | | | | |
| Neoplasms: Colo-rectal | | | | | | ----- PREVENTABLE HOSPITALIZATIONS* ----- | | | | | |
| Total | 18 | . | . | . | . | Total | 372 | 16.8 | 3.8 | \$9,278 | \$156 |
| 65+ | 13 | . | . | . | . | <18 | 17 | 4.4 | 1.8 | \$3,227 | \$14 |
| Neoplasms: Lung | | | | | | 18-44 | 27 | 4.4 | 2.6 | \$6,940 | \$30 |
| Total | 14 | . | . | . | . | 45-64 | 73 | 10.4 | 3.4 | \$8,774 | \$92 |
| Diabetes | | | | | | 65+ | 255 | 50.1 | 4.1 | \$10,074 | \$505 |
| Total | 37 | 1.7 | 5.0 | \$11,678 | \$20 | | | | | | |
| 65+ | 14 | . | . | . | . | | | | | | |

* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization.